INDEX TO VOLUME 106

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the AOU check-list, only scientific names have been entered, and, in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

Accipiter cooperii, 451, 452
A. gentilis, 227–230, 452
A. nisus, 225–231
A. striatus, 451, 452
Acrocephalus scirpaceus, 501–502
Aechmophorus clarkii, 467–470
A. occidentalis, 467–470
Aegolius acadicus, 732–733
Afik, Daniel, see Ward, David, et al., and David Ward, Incubation of dead eggs, 726–728
Agelaius phoeniceus, 107–115, 358–365, 577–582
Ainley, David G., see Boekelheide, Robert J., and ———
Alberta, 259–266, 268, 439–445, 635–643, 645–650
Amadon, Dean, In memoriam: Frank B. Smithe 466; review by, 174
Amazilia saucerottei, 203–207
American Ornithologists' Union, William Brewster Memorial Award, 351; Elliot Coues Award, 352; Thirty-seventh supplement to the American Ornithologists' Union Check-list of North American Birds, 532–538; Proceedings of the One-Hundred-Sixth Stated Meeting, 1AA–28AA
Ampelion sclateri, 422–431
A. rubrocristata, 422–431
A. rufaxilla, 422–431
A. stresemanni, 422–431
Ampeloides tschudii, 426, 428
Anatomy and morphology of *Ampelion rubrocristata*, 425–431; *A. rufaxilla*, 425–431; *A. sclateri*, 425–431; *A. stresemanni*, 425–431; *Ampeloides tschudii*, 426, 428; *Carpornis cucullatus*, 426, 428; Charadrii, 154–155; *Cinclocerthia ruficauda*, 253; *Conioptilon mcilhennyi*, 426, 428; *Coturnix japonica*, 282, 283, 287; *Geospiza difficilis*, 145–147; *G. fuliginosa*, 145–147; *Lipaugus subalaris*, 426, 428; *Macronectes giganteus*, 303, 309, 310–311; *Oceanodroma leucorhoa*, 80–84; *Phoenicircus nigricollis*, 426, 428; *Phytotoma raimondii*, 425–431; *P. rara*, 425–431; *P. rutila*, 425–431; *Pygoscelis papula*, 303, 309, 310–311; *Ramphocinclus brachyurus*, 254; *Selasphorus rufus*, 724–725; Scolopaci, 154–155; *Xipholena punicea*, 426, 428
Anderson, Derek, J., see Kikkawa, Jiro, and ———
Anderson, Ted R., Determinate vs. indeterminate laying in the House Sparrow, 730–732
Andrew, P., see Collar, N. J., and ———
Andrle, Robert F., and Janet R. Carroll (Eds.), The atlas of breeding birds in New York state (rev.), 349
Anhinga anhinga, 383–388
A. novaehollandiae, 383–388
A. rufa, 383–388
Antarctica, 303–312
Anthony, Robert G., see Eberhardt, Lester E., et al.
Anthropoides paradisea, 595–601, 603–613, 616–618
A. virgo, 595–601, 603–613, 616–618
Anthus hodgsoni, 728–729
Aphelocoma coerulescens coerulescens, 742
A. ultramarina, 124–128
Aquila chrysaetos, 520–521, 521–522, 523–524
Aramus guarauna, 603–609, 612, 616–618
Arenaria interpres, 474–476
Arizona, 49–62, 480–482
Arnold, Todd W., Commentary: Sex ratios of fledgling Golden Eagles and jackrabbit densities, 521–522
Atkinson-Willes, G. L., see Owen, Myrfyn, et al.
Atwood, Jonathan L., Speciation and geographic variation in Black-tailed Gnatcatchers (rev.), 347–349
Auklet, Cassin's, 495–497
Austad, Steven N., review by, 165–166

Balda, Russell P., In memoriam: Klaus Immelmann, 723
Balearica pavonina, 595–601, 603–613, 616–618
B. regulorum, 595–601, 603–613, 616–618
Baumel, Julian J., Functional morphology of the tail apparatus of the pigeon (*Columba livia*) (rev.), 763
Bech, Claus, see Klaassen, Marcel, et al.
Bee-eater, European, 375–381
Behavior, activity patterns, 21, 30–31, 54–57, 94–100, 218–224, 227, 342, 343, 353–356, 495–497, 549, 550–551, 552, 556, 557, 661–662; age-related, 218–223, 375–381, 390–399, 590, 591, 592; agonistic, 1–6, 211, 365, 392, 471–472, 647, 648–649; anting, 163–164; antipredator, 152, 225, 226, 230–231, 497, 504, 507, 659–664, 738–741, 742, 747–749; breeding, 1–6, 56–57, 58, 59, 60, 61–62, 86–91, 107–115, 177–184, 209–216, 292–300, 332–335, 336–338, 358–365, 375–381, 389–400, 418–420, 433–437, 480–482, 483–485, 503–507, 549–557, 568–575, 584–592, 619–624, 625–632, 635–643, 700–704, 732–733, 734–737, 738–741; copulatory, 280, 281, 283; courtship, 5, 76, 298, 471; dispersal, 72–77, 589–590, 738–741; distraction, 742; dominance, 2, 127, 314, 316, 336–338, 490–491, 561; effect of environment on, 221–222, 223–224, 234–235, 236, 237, 389–400, 625–

The Auk 106: 765–780. October 1989

632; effect of wing tags on, 619–624; feeding, 42–47, 67, 94–100, 118–123, 141–143, 150–153, 193, 198, 199, 218–224, 225–231, 253–255, 353–356, 418–420, 442–444, 467–470, 504–505, 506–507, 549, 550–551, 552, 556, 557, 629, 632, 700–704; feeding aggregation, 150–153, 225–227, 230–231, 406–407; flight, 141–143, 148–150, 223; food-begging, 506; foraging (see Behavior, feeding) homing, 148–150; incubation, 26–32, 433–437, 439–445, 477, 503–504, 726–727; individual distance, 72–77, 402–408; interspecific, 211–212, 213, 225–231, 339–340, 358–365, 645–650; maintenance, 221, 222–223, 504; mate replacement, 1–6, 292, 293, 294–295, 298–300, 378, 561, 622, 637, 640–641; mating preference, 86–91, 154–155, 155–156, 378, 391, 395, 418–420, 619, 621, 622, 623–624; movements in home range, 402–409; nest helper (see Communal breeding); nesting, 193–201, 209–216, 332–335, 391–393, 568–575, 625–632; nest-site tenacity, 102, 104, 391–392; pair, 1–6, 86–91, 378, 391, 392, 398, 399, 619, 621, 622, 623–624; parental care, 1–6, 18–24, 26–32, 114, 292–300, 360–361, 363, 365, 379, 380, 483–485, 490–491, 504–507, 629, 635–643, 659–644, 700–704, 732, 733; roosting, 151, 342, 343–344; sexual differences in, 72–77, 150–153, 292, 294–296, 299–300, 390, 468, 469, 470, 473, 483–485, 499–500, 659–664; siblicide, 520–521, 522, 523–524; site fidelity, 102, 104, 149, 377, 379, 380, 390, 397–398, 399, 489, 584–592, 623; social, 124–128, 332–335, 560–566; status signaling, 328; territorial, 3, 4, 57–58, 59, 60, 61–62, 102, 104, 107–115, 405, 407, 408, 560–566, 645–650, 733; thermoregulatory, 342, 343–344; vocal, 26, 32, 49–62, 114, 124–128, 227, 332–335, 339–340, 471–473, 498–500, 504–505, 505–506, 645–650, 659–662, 728–729, 748

Behavior of *Accipiter gentilis*, 227–228, 229–231; *A. nisus*, 225–231; *Aechmophorus clarkii*, 467–470; *A. occidentalis*, 467–470; *Aegolius acadicus*, 732–733; *Agelaius phoeniceus*, 107–115; *Aphelocoma ultramarina*, 124–128; *Bombycilla cedrorum*, 64–70; *Bonasa umbellus*, 72–77; *Branta canadensis moffitti*, 218–224, 439–445; *Bucephala albeola*, 568–575; *Burhinus oedicnemus*, 726, 727; *Buteo buteo*, 227–228, 229–231; *Calidris canutus*, 94–100; *C. himantopus*, 94–100; *C. mauri*, 94–100; *C. minutilla*, 94–100; *C. pusilla*, 94–100; *Casmerodius albus*, 625–632; *Catoptrophorus semipalmatus*, 94–100; *Charadrius semipalmatus*, 94–100; *C. wilsonia*, 94–100; *Circus cyaneus*, 227–228, 229–231, 353–356; *Columbina passerina*, 742; *Coturnix japonica*, 280, 281, 283; *Dendroica graciae*, 49–62; *Dolichonyx oryzivorus*, 584–592; *Egretta caerulea*, 625–632; *E. rufescens*, 94–100; *E. garzetta*, 292–300; *E. thula*, 94–100; *E. tricolor*, 94–100; *Eudocimus albus*, 625–632; *Eurypyga helias*, 503–507; *Falco columbarius*, 227–228, 229–231; *F. tinnunculus*, 549–557; *Fringilla coelebs*, 225–231; *F. montifringilla*, 225–231; *Himantopus mexicanus*, 94–100; *Hylocichla mustelina*, 402–409; *Icterus galbula*, 735–737; *Jacana jacana*, 1–6; *Lanius excubitor*, 418–420; *Larus californicus*, 102, 104; *L. delawarensis*, 619–624; *Leptotila rufaxilla*, 339–340; *L. verreauxi*, 339–340; *L. wellsi*, 330–340; *Limnodromus griseus*, 94–100; *Loxia leucoptera*, 483–485; *Merops apiaster*, 375–381; *Mimus polyglottos*, 659–664; *Molothrus ater*, 358–365; *Numenius phaeopus*, 94–100; *Nycticorax nycticorax*, 94–100; *N. violaceus*, 94–100; *Nymphicus hollandicus*, 86–91; *Oceanodroma leucorhoa*, 148–150, 332–335, 498–500; *O. monorhis*, 471–473; *Oenanthe oenanthe*, 18–24; *Oxyura jamaicensis*, 42–47; *Parabuteo unicinctus*, 480–482; *Parus atricapillus*, 645–650; *P. gambeli*, 645–650; *P. major*, 490–491; *Passer domesticus*, 150–153; *Passerina cyanea*, 747–749; *Pelecanus erythrorhynchos*, 26–32; *Phalacrocorax penicillatus*, 389–400; *Philomachus pugnax*, 336–338; *Phoenicopterus ruber*, 94–100; *Phoeniculus purpureus*, 342, 343; *Pica pica*, 635–643; *Pluvialis squatarola*, 94–100; *Ptychoramphus aleuticus*, 495–497; *Sitta europaea*, 560–566; *Spizella arborae*, 118–123; *Synthliboramphus antiquus*, 433–437; *Tringa flavipes*, 94–100; *T. melanoleuca*, 94–100; *Upupa epops*, 726–727; *Vireo solitarius*, 477–479.

Beletsky, Les D., Gordon H. Orian, and John C. Wingfield, Relationships of steroid hormones and polygyny to territorial status, breeding experience, reproductive success in male Red-winged Blackbirds, 107–117

Belgium, 560–566

Benkman, Craig W., Breeding opportunities, foraging rates, and parental care in White-winged Crossbills, 483–485

Bevier, Louis R., review by, 349

Binford, Laurence C., A distributional survey of the birds of the Mexican state of Oaxaca (rev.), 760–761

Birkhead, T. R., see Clayton, N. S., and ———

Blackbird, Red-winged, 107–115, 358–365, 577–582; Yellow-headed, 577–582

Blockstein, David E., and J. W. Hardy, The Grenada Dove (*Leptotila wellsi*) is a distinct species, 339–340

Bluebird, Mountain, 451, 452, 459; Western, 452

Boag, David A., review by, 756–757; see Murphy, Andrew J., and ———

Bobolink, 577–582, 584–592

Bobwhite, Northern, 492–494

Boekelheide, Robert J., and David G. Ainley, Age, resource availability, and breeding effort in Brandt's Cormorant, 389–401

Boles, Walter E., Correct authorship of Pomatostomidae, 341

Bolivia, 34–39

Bollinger, Eric K., and Thomas A. Gavin, The effects of site quality on breeding-site fidelity in Bobolinks, 584–594

Bombycilla cedrorum, 64–70

Bonasa umbellus, 72–77, 79

Books, Gregory G., see Eberhardt, Lester E., et al.

Bortolotti, Gary R., Commentary: Sex ratios of fledgling Golden Eagles, 420–421

Brambling, 225–231
Branta canadensis moffitti, 218–224, 439–445
Breeding of (see also Behavior, breeding; Breeding season; Breeding success; Clutch size; Eggs; Incubation and incubation period; Nest and nest site) *Aegolius acadicus*, 732–733; *Agelaius phoeniceus*, 107–115; *Bucephala albeola*, 568–575; *Calcarius lapponicus*, 738–741; *Casmerodius albus*, 625–632; *Cepphus columba*, 193–201; *Chen caerulescens caerulescens*, 177–184; *Coturnix japonica*, 279–283, 286–289; *Dolichonyx oryzivorus*, 584–592; *Egretta caerulea*, 625–632; *E. garzetta*, 292–300; *E. thula*, 625–632; *E. tricolor*, 625–632; *Empidonax minimus*, 269–276; *Eudocimus albus*, 625–643; *Eurypyga helias*, 503–507; *Falco tinnunculus*, 549–557; *Jacana jacana*, 1–6; *Lanius excubitor*, 418–420; *Larus delawarensis*, 619–624; *Loxia leucoptera*, 483–485; *Melanerpes carolinus*, 209–216; *M. erythrocephalus*, 209–216; *Merops apiaster*, 375–381; *Molothrus ater*, 358–365; *Nymphicus hollandicus*, 86–91; *Oceanodroma leucorhoa*, 332–335; *Parabuteo unicinctus*, 480–482; *Phalacrocorax penicillatus*, 389–400; *Pica pica*, 635–643; *Sturnus vulgaris*, 128–134, 209–216; *Synthliboramphus antiquus*, 433–437, 653–658; *Uria lomvia*, 433–437; *Vireo solitarius*, 476–479
Breeding season of *Egretta garzetta*, 297; *Lanius excubitor*, 419–420; *Melanerpes carolinus*, 210–211, 212; *M. erythrocephalus*, 211, 213; *Phalacrocorax penicillatus*, 391, 392; *Sturnus vulgaris*, 210–211; *Vireo solitarius*, 477
Breeding success, 86–91, 107, 111–113, 115, 132, 185, 187, 189, 211, 214, 215, 272–273, 274–275, 281–283, 335, 360, 361–362, 363, 364–365, 378, 379, 380–381, 393–395, 418–420, 435–436, 477–479, 517–518, 518–519, 568–575, 584–592, 622, 623, 625–632, 635–643, 703–704, 740
Breeding success of *Aegolius acadicus*, 732, 733; *Agelaius phoeniceus*, 107, 111–113, 115, 363; *Bucephala albeola*, 568–575; *Casmerodius albus*, 625–632; *Coturnix japonica*, 281–283; *Dendroica petechia*, 363; *Dolichonyx oryzivorus*, 584–592; *Egretta caerulea*, 625–632; *E. thula*, 625–632; *E. tricolor*, 625–632; *Empidonax minimus*, 272–273, 274–275; *Eudocimus albus*, 625–632; *Haematopus palliatus*, 185, 187, 189; *Lanius excubitor*, 418–420; *Larus delawarensis*, 622, 623; *Melanerpes carolinus*, 214; *M. erythrocephalus*, 211, 215; *Merops apiaster*, 378, 379, 380–381; *Molothrus ater*, 360, 361–362, 364–365; *Nymphicus hollandicus*, 86–91; *Oceanodroma leucorhoa*, 335, *Phalacrocorax penicillatus*, 393–395; *Pica pica*, 635–643; *Picoides borealis*, 517–518, 518–519; *Sturnus vulgaris*, 132; *Synthliboramphus antiquus*, 435–436; *Vireo solitarius*, 477–479
Breitwisch, Randall, Natasha Gottlieb, and Julia Zaias, Behavioral differences in nest visits between male and female Northern Mockingbirds, 659–665; and Joann Hudak, Sex differences in risk-taking behavior in foraging flocks of House Sparrows, 150–153
Briggs, Kenneth T., W. Breck Tyler, David B. Lewis, and David R. Carlson, Bird communities at sea off California: 1975 to 1983 (rev.), 170–171
Brink, Karen L., see Roby, Daniel D., et al.
Briskie, James V., and Spencer G. Sealy, Determination of clutch size in the Least Flycatcher, 269–278
British Columbia, 193–201, 279–283, 286–289, 433–437, 568–575, 653–658, 733
Brolga, 595–601, 603–613, 616–618
Brown, Jerram L., and Eric G. Horvath, Geographic variation of group size, ontogeny, rattle calls, and body size in *Aphelocoma ultramarina*, 124–128; see Ito, Yosiaki, et al.
Browning, M. Ralph, The correct citation and spelling of *Ptiliogonys* and type locality of *Ptiliogonys cinereus*, 743–746
Brush, Alan H., reviews by 350, 530–531, 763–764; see Hudon, Jocelyn, et al.
Bubo bubo, 539–546
Bucephala albeola, 568–575
Bufflehead, 568–575
Bugeranus carunculatus, 595–601, 603–613, 616–618
Bunting, Indigo, 747–749
Burger, Alan E., review by, 171–172
Burger, Joanna, see Lauro, Brook, and ———
Burhinus oedicnemus, 726, 727
Buteo buteo, 227–230, 539–546
Buteo jamaicensis, 451, 452
Butler, Ronald G., see Place, Allen R., et al.
Buttron, Deborah P., see Nuechterlein, Gary L., and ———
Butyev, V. T., see Ilyichev, V. D., et al.
Buzzard, Common, 227–230, 539–546

Calcarius lapponicus, 738–741
Calder, William A., III, and Elinor G. Jones, Implications of recapture data for migration of the Rufous Hummingbird (*Selasphorus rufus*) in the Rocky Mountains, 488–489
Calidris alba, 326–330, 474–476
C. canutus, 94–100, 326–330
C. himantopus, 94–100, 326–330
C. mauri, 94–100
C. minutilla, 94–100
C. pusilla, 94–100, 474–476
California, 86–91, 102–105, 326–330, 353–356, 389–400, 447–459, 495–497
Calls (see Vocalizations)
Calonectris diomedea, 411–416, 417
Cannings, Richard J., see Marks, Jeffrey S., et al.
Capparella, A. P., see Hudon, Jocelyn, et al.
Cardinal, Northern, 324–325
Cardinalis cardinalis, 324–325
Carey, Cynthia, see Ligon, J. David, et al.
Carlson, David R., see Briggs, Kenneth T., et al.
Carpodacus cassinii, 451–452
C. purpureus, 452

Carpornis cucullatus, 426, 428
Carr, David E., see Hill, Geoffrey E., and ———
Carroll, Janet R., see Andrle, Robert F., and ———
Carter, Harry R., review by, 170–171
Casmerodius albus, 625–632
Castro, Gonzalo, and J. P. Myers, Flight range estimates for shorebirds, 474–476
Cataptrophorus semipalmatus, 94–100, 474–476
Cathartes melambrotus, 539–546
C. guttatus, 452
Census methods, 130–131, 134, 367–372, 480–482
Cepphus columba, 193–201
Certhia americana, 451–452
Chaffinch, 225–231
Charadrii, 154–155, 155–156
Charadrius semipalmatus, 94–100
C. wilsonia, 94–100
Chen caerulescens caerulescens, 177–184
Cheng, Kimberly M., Andrew R. Hickman, and Cathleen R. Nichols, Role of the proctodeal gland foam of male Japanese Quail in natural copulations, 279–285; Roy F. McIntyre, and Andrew R. Hickman, Proctodeal gland foam enhances competitive fertilization in domestic Japanese Quail, 286–291
Chickadee, Black-capped, 259–266, 268, 645–650, 652; Mountain, 259–266, 268, 451, 452, 459, 645–650, 652
Chlorostilbon canivetii, 203–207
Chordeiles minor, 451, 452, 539–546
Cinclocerthia gutturalis, 249–256, 258
C. ruficauda, 249–256, 258
Circus cyaneus, 225, 227–230, 353–356
Clayton, N. S., and T. R. Birkhead, Commentary: Consistency in the scientific name of the Zebra Finch, 750
Clench, Mary H., and J. William Hardy, In Memoriam: Oliver L. Austin Jr., 706–709
Clutch size of *Agelaius phoeniceus*, 362, 363; *Branta canadensis moffitti*, 441–442; *Bucephala albeola*, 569–572, 574; *Dendroica petechia*, 362–363; *Empidonax minimus*, 269–276; *Falco tinnunculus*, 550, 552–553, 557; *Melanerpes carolinus*, 213; *M. erythrocephalus*, 214–215; *Merops apiaster*, 378–379, 380; *Passer domesticus*, 730–731; *Phalacrocorax penicillatus*, 394, 395, 396, 397, 398; *Pica pica*, 635–643; *Upupa epops*, 726; *Vireo solitarius*, 477
Coccothraustes affinis, 728–729
C. icterioides, 728–729
C. vespertinus, 451, 452
Cockatiel, 86–91
Colaptes auratus, 452
Colinus virginianus, 492–494
Collar, N. J., and P. Andrew, Birds to watch (rev.), 526–527
Collopy, Michael W., see Edwards, Thomas C., Jr., and ———; see Frederick, Peter C., and ———
Columba fasciata, 452
Colombia, 34–39
Colorado, 476–479, 488–489
Columbina passerina, 742
Colwell, Mark A., review by, 762–763
Commentaries, Aerial agility and the evolution of reversed sexual dimorphism (RSD) in shorebirds, see Mueller, Helmut C.; Response: Evolution of sexual size dimorphism, see Jehl, Joseph R., Jr., and Bertram G. Murray Jr.; The study of geographic variation, see Zink, Robert M.; Response to R. M. Zink, see Rising, J. D.; Response to P. R. Ehrlich, D. S. Dobkin, and D. Wheye, see Potter, Eloise F.; Cavity roosting, philopatry, and cooperative breeding in the Green Woodhoopoe may not reflect a physiological trait, see Ward, David, et al.; Response to Ward et al., see Ligon, J. David, et al.; A new classification of the living birds of the world, see Mayr, Ernst; Response to E. Mayr, see Sibley, Charles G.; see Monroe, Burt L., Jr.; Statistical inference from color-banding data, see Hill, Geoffrey E., and David E. Carr; Response to Hill and Carr, see Hagan, John M., and J. Michael Reed; Sex ratios of fledgling Golden Eagles, see Bortolotti, Gary R.; Sex ratios of fledgling Golden Eagles and jackrabbit densities, see Arnold, Todd W.; Response to G. R. Bortolotti and T. W. Arnold, see Edwards, Thomas C., Jr., and Michael W. Collopy; Consistency in the scientific name of the Zebra Finch, see Clayton, N. S., and T. R. Birkhead
Communal breeding, 700–704
Communal breeding in *Cepphus columba*, 193–201; *Merops apiaster*, 378, 381; *Parabuteo unicinctus*, 480–482
Conioptilon mcilhennyi, 426, 428
Connecticut, 367–372
Contopus borealis, 451–452
Cooke, Fred, see Quinn, Thomas W., et al.
Cooperative breeding (see Communal breeding)
Cormorant, Brandt's, 389–400
Corvus caurinus, 197–198
C. corax, 452
Costa Rica, 203–207, 503–507
Coturnix japonica, 279–283, 286–289
Cowbird, Brown-headed, 358–365, 452, 476–479, 577–582, 734–737
Crane, Black-crowned, 595–601, 603–613, 616–618; Common, 595–601, 603–613, 616–618; Demoiselle, 595–601, 603–613, 616–618; Gray Crowned, 595–601, 603–613, 616–618; Hooded, 595–601, 603–613, 616–618; Red-crowned, 595–601, 603–613, 616–618; Sandhill, 595–601, 603–613, 616–618; Sarus, 595–601, 603–613, 616–618; Siberian, 595–601, 603–613, 616–618; Stanley, 595–601, 603–613, 616–618; Wattled, 595–601, 603–613, 616–618; White-naped, 595–601, 603–613, 616–618; Whooping, 595–601, 603–613, 616–618
Creeper, Brown, 451–452
Crossbill, White-winged, 483–485
Crow, Northwestern, 197–198

Croxall, J. P. (Ed.), Seabirds: feeding ecology and role in marine ecosystems (rev.), 171–172
Cruz, Alexander, see Marvil, Rebecca E., and ———
Cruz, Justine B., review by, 761
Crypturellus unduliatus, 539–546
Culicicapa ceylonensis, 728–729
Curlew, Stone, 726–727
Cuthill, Innes C., see Lohrer, Fred E., et al.
Cyanocitta stelleri, 451–452
Cygnus buccinator, 539–546

Daan, Serge, see Meijer, Theo, et al.
Davies, J. Chris, see Quinn, Thomas W., et al.
Dawson, James W., and R. William Mannan, A comparison of two methods of estimating breeding group size in Harris' Hawks, 480–483
Demong, Natalie J., see Emlen, Stephen T., et al.
Dendragapus obscurus, 451, 452
Dendroica coronata, 451–452
D. graciae, 49–62
D. occidentalis, 451–452
D. petechia, 358–365, 451, 452, 456
D. striata, 8–15, 17
de Queiroz, Kevin, see Warheit, Kenneth I., et al.
de Santo, Toni, see Pennycuick, C. J., and ———
Dicrurus leucophaeus, 728–729
Diseases and parasites of *Larus californicus*, 102–103, 104
Distribution, spatial, 193–201
Distribution of *Dendroica striata*, 9–11
Dittmann, Donna L., Robert M. Zink, and John A. Gerwin, Evolutionary genetics of phalaropes, 326–331
Dolichonyx oryzivorus, 577–582, 584–592
Doremus, John H., see Marks, Jeffrey S., et al.
Dove, Gray-fronted, 339–340; Grenada, 339–340
Dowitcher, Long-billed, 326–330; Short-billed, 94–100
Dryocopus pileatus, 452
Duck, Ruddy, 42–47
Dufty, Alfred M., Jr., An effective anti-estrogen for feral birds, 485–487
Duke, G. E., A. R. Place, and B. Jones, Gastric emptying and gastrointestinal motility in Leach's Storm-Petrel chicks (*Oceanodroma leucorhoa*), 80–85
Dunn, Peter O., and Susan J. Hannon, Evidence for obligate male parental care in Black-billed Magpies, 635–644

Eagle, Golden, 520–521, 521–522, 523–524
Eagle-Owl, Great, 539–546
Eberhardt, Lester E., Gregory G. Books, Robert G. Anthony, and William H. Rickard, Activity budgets of Canada Geese during brood rearing, 218–224
Ecology, bird species richness, 447–459; breeding communities, 447–459, 625–632; competition, 146–147, 209–216, 254, 255; dispersal, 75, 76–77; habitat partitioning, 259, 264–266, 467–470; habitat selection, 75, 76–77, 185–191, 193–201, 218, 222, 224, 256, 402, 406–407, 408, 409, 447–459, 562–563, 565–566; predator-prey relationships, 355–356, 521–522, 523, 632; territoriality, 102, 103–105, 259–266, 562–563, 565–566
Ecology of *Accipiter cooperii*, 451, 452; *A. gentilis*, 452; *A. striatus*, 451, 452; *Aechmophorus clarkii*, 467–470; *A. occidentalis*, 467–470; *Bombycilla cedrorum*, 70; *Bonasa umbellus*, 75, 76–77; *Branta canadensis moffitti*, 218, 222–224; *Buteo jamaicensis*, 451, 452; *Calidris canutus*, 94–100; *C. himantopus*, 94–100; *C. minutilla*, 94–100; *C. pusilla*, 94–100; *Carpodacus cassinii*, 451–452; *C. purpureus*, 452; *Casmerodius albus*, 625–632; *Catharus guttatus*, 452; *Catoptrophorus semipalmatus*, 94–100; *Certhia americana*, 451–452; *Charadrius semipalmatus*, 94–100; *C. wilsonia*, 94–100; *Chordeiles minor*, 451, 452; *Cinclocerthia ruficauda*, 254; *Circus cyaneus*, 355–356; *Coccothraustes vespertinus*, 451, 452; *Colaptes auratus*, 452; *Columba fasciata*, 452; *Contopus borealis*, 451–452; *Corvus corax*, 452; *Cyanocitta stelleri*, 451–452; *Dendragapus obscurus*, 451, 452; *Dendroica coronata*, 451–452; *D. occidentalis*, 451–452; *D. petechia*, 451, 452, 456; *Dolichonyx oryzivorus*, 584–592; *Dryocopus pileatus*, 452; *Egretta caerulea*, 625–632; *E. rufescens*, 94–100; *E. thula*, 94–100, 625–632; *E. tricolor*, 94–100, 625–632; *Empidonax hammondii*, 451, 452; *E. oberholseri*, 451, 452; *Eudocimus albus*, 625–632; *Falco sparverius*, 451, 452; *Geospiza difficilis*, 146–147; *G. fuliginosa*, 146–147; *Haematopus palliatus*, 185–191; *Himantopus mexicanus*, 94–100; *Hylocichla mustelina*, 402–409; *H. ustulata*, 451, 452; *Junco hyemalis*, 451, 452; *Larus californicus*, 102, 103–105; *Limnodromus griseus*, 94–100; *Melanerpes carolinus*, 209–216; *M. erythrocephalus*, 209–216; *Molothrus ater*, 452; *Myadestes townsendi*, 452; *Numenius phaeopus*, 94–100; *Nycticorax nycticorax*, 94–100; *N. violaceus*, 94–100; *Opornis tolmiei*, 451, 452, 456; *Oreortyx pictus*, 452; *Parus atricapillus*, 259–266; *P. gambeli*, 259–266, 451, 452, 459; *Passerella iliaca*, 451, 452, 456; *Phalacrocorax penicillatus*, 395–396, 397–400; *Pheucticus melanocephalus*, 452; *Phoenicopterus ruber*, 94–100; *Picoides albolarvatus*, 451, 452, 459; *P. villosus*, 451, 452, 459; *Pinicola enucleator*, 452; *Pipilo chlorurus*, 451, 452, 456; *P. erythrophthalmus*, 451, 452, 456; *Piranga ludoviciana*, 451–452; *Ramphocinclus brachyurus*, 254; *Regulus satrapa*, 451–452; *Sialia currucoides*, 451, 452, 459; *S. mexicana*, 452; *Sitta canadensis*, 452; *S. europaea*, 562–563, 565–566; *Sphyrapicus ruber*, 452; *S. thyroideus*, 452; *Spizella passerina*, 452; *Stellula calliope*, 452; *Strix occidentalis*, 451, 452; *Sturnus vulgaris*, 209–216; *Tringa flavipes*, 94–100; *Tringa melanoleuca*, 94–100; *Troglodytes troglodytes*, 451, 452; *Turdus migratorius*, 452; *Vermivora ruficapilla*, 452; *Vireo gilvus*, 451–452; *V. solitarius*, 452; *Wilsonia pusilla*, 452
Ectoparasitism (see Diseases and parasites)
Edwards, Thomas C., Jr., and Michael W. Collopy, Commentary: Response to G. R. Bortolotti and T. W. Arnold, 523–524

Eggs, composition, 549, 553, 577–582; density, specific gravity, and volume, 577–582; laying, 88, 89, 286–289, 297, 359–360, 361, 364, 365, 391, 476–479, 549, 552–553, 554–557, 638, 730–731; temperature, 26–32

Eggs, descriptions and measurements, of *Agelaius phoeniceus*, 578–582; *Dolichonyx oryzivorus*, 578–582; *Falco tinnunculus*, 552, 553, 554; *Molothrus ater*, 577–582, 734–737; *Pelecanus erythrorhynchos*, 26–32; *Xanthocephalus xanthocephalus*, 578–582

Egret, Great, 625–532; Little, 292–300; Reddish, 94–100; Snowy, 94–100, 625–632

Egretta caerulea, 625–632

E. garzetta, 292–300

E. rufescens, 94–100

E. thula, 94–100, 625–632

E. tricolor, 94–100, 625–632

Ellison, Walter G., review by, 761–762

Ellsworth, Darrell L., John L. Roseberry, and W. D. Klimstra, Genetic structure and gene flow in the Northern Bobwhite, 492–495

Emlen, Douglas J., see Emlen, Stephen T., et al.

Emlen, Stephen T., Natalie J. Demong, and Douglas J. Emlen, Experimental induction of infanticide in female Wattled Jacanas, 1–7

Emms, S. K., and N. A. M. Verbeek, Significance of the pattern of nest distribution in the Pigeon Guillemot (*Cepphus columba*), 193–202

Empidonax hammondii, 451, 452

E. minimus, 269–276

E. oberholseri, 451, 452

Endangered species, 91, 334–335, 339–340, 367–372

England, 336–338

Environment, influence on *Branta canadensis moffitti*, 221–222, 223–224; *Calidris canutus*, 94–100; *C. himantopus*, 94–100; *C. mauri*, 94–100; *C. minutilla*, 94–100; *C. pusilla*, 94–100; *Casmerodius albus*, 625–632; *Cataptrophorus semipalmatus*, 94–100; *Cepphus columba*, 199–200; *Charadrius semipalmatus*, 94–100; *C. wilsonia*, 94–100; *Egretta caerulea*, 625–632; *E. rufescens*, 94–100; *E. thula*, 94–100, 625–632; *E. tricolor*, 94–100, 625–632; *Eudocimus albus*, 625–632; *Himantopus mexicanus*, 94–100; *Limnodromus griseus*, 94–100; *Numenius phaeopus*, 94–100; *Nycticorax nycticorax*, 94–100; *N. violaceus*, 94–100; *Passerella iliaca schistacea*, 161–162; *Phalacrocorax penicillatus*, 389–400; *Philomachus pugnax*, 338; *Phoenicopterus ruber*, 94–100; *Picoides pubescens*, 315, 318–319; *Pluvialis squatarola*, 94–100; *Spizella arborea*, 118–123; *Sterna paradisaea*, 246–247; *Tringa flavipes*, 94–100; *T. melanoleuca*, 94–100

Erithacus cyanurus, 728–729

Eudocimus albus, 141–143, 625–632

Eurypyga helias, 503–507

Evans, Roger M., Egg temperatures and parental behavior during the transition from incubation to brooding in the American White Pelican, 26–33

Evolution of communal breeding, 200–201; genetic variation, 157–159, 160–163; reversed sexual dimorphism, 154–155, 155–156

Evolution of *Cinclocerthia gutturalis*, 255; *C. ruficauda*, 255; *Geospiza difficilis*, 147; *G. fuliginosa*, 147; *Passerella iliaca schistacea*, 157–159, 160–163; *Phalaropus fulicaria*, 326, 329–330; *P. lobatus*, 326, 329–330; *P. tricolor*, 326, 329–330; *Ramphocinclus brachyurus*, 255

Extra-pair fertilization, 128–134

Falco columbarius, 225, 227–230

Falco sparverius, 451, 452

Falco tinnunculus, 539–546, 549–557

Falcon, Barred Forest, 407, 408

Farley, Greg H., see Ligon, J. David, et al.

Feathers (see Molts and Plumages)

Ficedula hypoleuca, 501–502

Finch, Cassin's, 451–452; Purple, 452; Zebra, 750

Flamingo, Greater, 94–100

Fledging, success of (see Breeding success)

Flegg, Jim, see Hosking, Eric, et al.

Flicker, Northern, 452

Florida, 625–632, 659–664, 742

Flycatcher, Dusky, 451, 452; Hammond's 451, 452; Least, 269–276; Olive-sided, 451–452; Pied, 501–502; Spotted, 501–502

Fogden, Michael P. L., see Lyon, Bruce E., and ———

Food and feeding habits of (see also Behavior, feeding) *Accipiter gentilis*, 225, 227–230; *A. nisus*, 225, 227–230; *Aechmophorus clarkii*, 467–470; *A. occidentalis*, 467–470; *Aegolius acadicus*, 732, 733; *Amazilia saucerottei*, 203–207; *Bombycilla cedrorum*, 64–70; *Branta canadensis moffitti*, 218–224, 442–444; *Buteo buteo*, 225, 227–230; *Calidris canutus*, 94–100; *C. himantopus*, 94–100; *C. mauri*, 94–100; *C. minutilla*, 94–100; *C. pusilla*, 94–100; *Cardinalis cardinalis*, 325; *Catoptrophorus semipalmatus*, 94–100; *Charadrius semipalmatus*, 94–100; *Chlorostilbon canivetii*, 203–207; *Cinclocerthia ruficauda*, 253; *Circus cyaneus*, 225, 227–230, 353–356; *Egretta refescens*, 94–100; *E. thula*, 94–100; *E. tricolor*, 94–100; *Empidonax minimus*, 270, 272, 275; *Eudocimus albus*, 141–143, 629, 632; *Eurypyga helias*, 504–505, 506–507; *Falco columbarius*, 225, 227–230; *F. tinnunculus*, 549, 550–551, 552, 556, 557; *Fringilla coelebs*, 225–231; *F. montifringilla*, 225–231; *Geospiza difficilis*, 146–147; *G. fuliginosa*, 146–147; *Himantopus mexicanus*, 94–100; *Junco hyemalis*, 325; *Lanius excubitor*, 418–420; *Limnodromus griseus*, 94–100; *Mimus polyglottos*, 662–663; *Numenius phaeopus*, 94–100; *Nycticorax nycticorax*, 94–100; *N. violaceus*, 94–100; *Oxyura jamaicensis*, 42–47; *Passer domesticus*, 150–153; *Phoenicopterus ruber*, 94–100; *Pluvialis squatarola*, 94–100; *Ramphocinclus brachyurus*, 254–255; *Spizella arborea*, 118–123, 325; *Sturnus vulgaris*, 675–684; *Tringa flavipes*, 94–100; *T. melanoleuca*, 94–100; *Turdus migratorius*, 675–684; *Zonotrichia guerula*, 325

Foraging (see Food and feeding habits; Behavior, feeding)
Ford, Hugh A., see Lohrer, Fred E., et al.
France, 375–381
Frederick, Peter C., and Michael W. Collopy, Nesting success of five ciconiiform species in relation to water conditions in the Florida Everglades, 625–634
Freethy, Ron, Auks: an ornithologist's guide (rev.), 525–526
Fregata aquila, 383–388
F. ariel, 383–388
F. magnificens, 383–388
F. minor, 383–388
Fringilla coelebs, 225–231
F. montifringilla, 225–231
Fry, C. Hilary, Stuart Keith, and Emil K. Urban (Eds.), The birds of Africa. Vol. 3, Parrots to woodpeckers (rev.), 752–754
Fujioka, Masahiro, Mate and nestling desertion in colonial Little Egrets, 292–302
Fuller, Errol, Extinct birds (rev.), 346–347

Gaines, Sarah, Comparisons of patch-use models for wintering American Tree Sparrows, 118–123
Galápagos, 144–147
Gallus gallus, 539–546
Garrido, Orlando H., see Reynard, George B., and ———
Garrulax lineatus, 728–729
Gaston, Anthony J., and Ian L. Jones, The relative importance of stress and programmed anorexia in determining mass loss by incubating Ancient Murrelets, 653–658; and David W. Powell, Natural incubation, egg neglect, and hatchability in the Ancient Murrelet, 433–438
Gauthier, Gilles, The effect of experience and timing on reproductive performance in Buffleheads, 568–576
Gavin, Thomas A., see Bollinger, Eric, K., and ———
Genetic variation in (see Genetics, genetic variation)
Genetics, 129, 131–133, 177–184, 326–330, 336, 337–338, 411–416, 417, 423–425, 426, 429–431, 492–494, 508–512, 513–515, 515–516, 539–546, 595–601, 603–613, 616–618; DNA-DNA hybridization, 508–512, 513–515, 515–516, 595, 598, 599, 600, 603–613, 616–618; gene flow, 157–159, 160–162, 411–416, 492–494; genetic variation, 131, 157–159, 160–163, 326–330, 411–416, 492–494
Genetics of *Ampelion rubrocristata*, 423–425, 426, 429–431; *A. rufaxilla*, 423–425, 426, 429–431; *A. sclateri*, 423–425, 426, 429–431; *A. stresemanni*, 423–425, 426, 429–431; *Anthropoides paradisea*, 595–601, 603–613, 616–618; *A. virgo*, 595–601, 603–613, 616–618; *Aramus guarauna*, 603–609, 612, 616–618; *Balearica pavonina*, 595–601, 603–613, 616–618; *B. regulorum*, 595–601, 603–613, 616–618; *Bubo bubo*, 539–546; *Bugeranus carunculatus*, 595–601, 603–613; 616–618; *Buteo buteo*, 539–546; *Calidris alba*, 326–330; *C. canutus*, 326–330; *C. himantopus*, 326–330; *Calonectris diomedea*, 411–416, 417; *Cathartes melambrotus*, 539–546; *Chen caerulescens caerulescens*, 177–184; *Chordeiles minor*, 539–546; *Colinus virginianus*, 492–494; *Crypturellus undulatus*, 539–546; *Cygnus buccinator*, 539–546; *Gallus gallus*, 539–546; *Geothlypus trichas*, 599; Gruidae, 595–601, 603–613, 616–618; *Grus americana*, 595–601, 603–613, 616–618; *G. antigone*, 595–601, 603–613, 616–618; *G. canadensis*, 595–601, 603–613, 616–618; *G. grus*, 595–601, 603–613, 616–618; *G. japonensis*, 595–601, 603–613, 616–618; *G. leucogeranus*, 595–601, 603–613, 616–618; *G. monacha*, 595–601, 603–613, 616–618; *G. nigricollis*, 603–613, 616–618; *G. rubicunda*, 595–601, 603–613, 616–618; *G. vipio*, 595–601, 603–613, 616–618; *Larus californicus*, 326–330; *Limnodromus scolopaceus*, 326–330; *Mycteria americana*, 539–546; *Passer domesticus*, 539–546, 598; *Passerella iliaca schistacea*, 157–159, 160–163; *Phalaropus fulicaria*, 326–330; *P. lobatus*, 326–330; *P. tricolor*, 326–330; *Philomachus pugnax*, 336, 337, 338; *Phytotoma raimondii*, 423–425, 426, 429–431; *P. rara*, 423–425, 426, 429–431; *P. rutila*, 423–425, 426, 429–431; *Sturnus vulgaris*, 129, 131–133; *Tringa melanoleuca*, 326–330
Geographic variation in molts and plumages, 251, 253, 254, 255
Geographic variation in *Aphelocoma ultramarina*, 124–128; *Calonectris diomedea*, 411–416; *Cinclocerthia gutturalis*, 249–256; *C. ruficauda*, 249–256; *Geospiza difficilis*, 145–147; *G. fuliginosa*, 145–147; *Passerella iliaca schistacea*, 157–159, 160–163; *Ramphocinclus brachyurus*, 249–256
Geospiza difficilis, 144–147
G. fuliginosa, 144–147
Geothlypis trichas, 599
Geroudet, Paul, Les oiseaux du lac Léman (rev.), 346
Gerrard, Jon M., and Gary R. Bortolotti, The Bald Eagle: haunts and habits of a wilderness monarch (rev.), 347
Gerwin, John A., see Dittmann, Donna L., et al.
Giant-Petrel, Antarctic, 303–312
Gibraltar, 233–237
Glaucidium brasilianum, 406, 407, 408
Good, David A., see Warheit, Kenneth I., et al.
Goose, Canada, 218–224, 439–445; Lesser Snow, 177–184
Goshawk, Northern, 227–230, 452
Gottlieb, Natasha, see Breitwisch, Randall, et al.
Gray, C. R., see Yamamoto, J. T., et al.
Grebe, Clark's 467–470; Western, 467–470
Grenada, 339–340
Grimes, L. G., The birds of Ghana (rev.), 173–174
Grosbeak, Black-headed, 452; Evening, 451, 452; Pine, 452
Ground-Dove, Common, 742
Grouse, Blue, 451, 452; Ruffed, 72–77, 79
Growth and development of *Agelaius phoeniceus*, 364; *Aphelocoma ultramarina*, 124–218; *Cepphus columba*,

198–199; *Dendroica petechia*, 364; *Empidonax minimus*, 271, 273, 274; *Eurypyga helias*, 504–505; *Molothrus ater*, 360, 361; *Picoides pubescens*, 316–317; *Sterna paradisaea*, 242, 243, 245, 246; *Vireo solitarius*, 477–478
Grubb, Thomas C., Jr., Ptilochronology: feather growth bars as indicators of nutritional status, 314–320
Gruidae, 595–601, 603–613, 616–618
Grus americana, 595–601, 603–613, 616–618
G. antigone, 595–601, 603–613, 616–618
G. canadensis, 595–601, 603–613, 616–618
G. grus, 595–601, 603–613, 616–618
G. japonensis, 595–601, 603–613, 616–618
G. leucogeranus, 595–601, 603–613, 616–618
G. monacha, 595–601, 603–613, 616–618
G. nigricollis, 603–613, 616–618
G. rubicunda, 595–601, 603–613, 616–618
G. vipio, 595–601, 603–613, 616–618
Guillemot, Pigeon, 193–201
Gull, California, 102–105, 326–330; Ring-billed, 619–624; Western, 496–497
Guttman, Sheldon I., see Ingold, James L., et al.

Habitat of *Agelaius phoeniceus*, 109; *Bonasa umbellus*, 75, 76–77, 79; *Branta canadensis moffitti*, 218, 222–224; *Cepphus columba*, 193–201; *Cinclocerthia ruficauda*, 254; *C. gutturalis*, 254; *Haematopus palliatus*, 185–191; *Hylocichla mustelina*, 402, 405–406, 408–409; *Larus californicus*, 102, 103–104; *Parus atricapillus*, 260, 264–266, 268; *P. gambeli*, 260, 264–266, 268; *Ramphocinclus brachyurus*, 254, 255
Haematopus palliatus, 185–195
Hagan, John M., and J. Michael Reed, Commentary: Response to Hill and Carr, 518–520
Hailman, Jack, P., Common Ground-Dove's injury-feigning distracts Florida Scrub Jay, 742; review by, 751–752
Hainsworth, F. Reed, Evaluating models of crop emptying in hummingbirds, 724–726
Hannon, Susan J., see Dunn, Peter O., and ———
Hardy, J. William, see Clench, Mary H., and ———
Harrier, Hen, 225, 227–230; Northern, 353–356
Hatching, success of (see Breeding success)
Hatching, timing of, 295, 378, 379, 380, 436, 437, 504, 619, 621, 622, 623, 732
Hawk, Cooper's, 451, 452; Harris', 480–482; Red-tailed, 451, 452; Sharp-shinned, 451, 452
Heron, Little Blue, 625–632; Tricolored, 94–100, 625–632
Hickman, Andrew R., see Cheng, Kimberly M., et al.
Hilgerloh, Gudrun, Autumn migration of trans-Saharan migrating passerines in the Straits of Gibraltar, 233–239; Orientation of trans-Saharan passerine migrants in southwestern Spain, 501–502
Hill, Brad G., and M. Ross Lein, Territory overlap and habitat use of sympatric chickadees, 259–268; and M. Ross Lein, Natural and simulated encounters between sympatric Black-capped Chickadees and Mountain Chickadees, 645–652
Hill, David, and Peter Robertson, The pheasant: ecology, management and conservation (rev.), 757–758
Hill, Geoffrey E., and David E. Carr, Commentary: Statistical inference from color-banding data, 517–518
Hill, Martha, Bruno Liljefors: the peerless eye (rev.), 167–168
Himantopus mexicanus, 94–100
Hoglund, Jacob, and Arne Lundberg, Plumage color correlates with body size in the Ruff (*Philomachus pugnax*), 336–338
Honeycutt, Rodney L., see Mindell, David P., and ———
Hoopoe, 726–727
Horvath, Eric G., see Brown, Jerram L., and ———
Hosking, David, see Hosking, Eric, and ———
Hosking, Eric, and David Hosking with Jim Flegg, Eric Hosking's birds of prey of the world (rev.), 349–350
Houston, C. Stuart, In memoriam: Betty Carnes, 140; review by, 754–756
Hubbard, John P., review by, 760–761
Hudak, Joann, see Breitwisch, Randall, and ———
Hudon, Jocelyn, A. P. Capparella, and Alan H. Brush, Plumage pigment differences in manakins of the *Pipra erythrocephala* superspecies, 34–41
Hudson, Peter J., and Michael R. W. Rand (Eds.), Ecology and management of gamebirds (rev.), 756–757
Hummingbird, Calliope, 452; Rufous, 488–489, 724–725
Hunter, Laurie A., review by, 346–347
Hunter, Malcolm L., Jr., Himalayan birds face uphill while singing, 728–729
Hunting, Charles E., see Pierson, Elizabeth Cary, et al.
Hybrids and hybridization of *Aphelocoma ultramarina* × *A. coerulescens*, 128
Hylocichla mustelina, 402–409
H. ustulata, 451, 452
Hypsipetes madagascariensis, 728–729

Ibis, White, 141–143, 625–632
Icterus galbula, 735–737
Idaho, 732–733
Illinois, 492–494
Ilyichev, V. D., V. T. Butyev, and V. M. Konstantinov, Ptitsy Moskvy i podmoskovya [Birds of Moscow and vicinity] (rev.), 174
Incubation and incubation period of *Branta canadensis moffitti*, 439–445; *Burhinus oedicnemus*, 726, 727; *Empidonax minimus*, 273, 274–275; *Eurypyga helias*, 503–504; *Pelecanus erythrorhynchos*, 26–32; *Synthliboramphus antiquus*, 433–437; *Upupa epops*, 726–727; *Uria lomvia*, 433–437; *Vireo solitarius*, 477
India, 728–729

Ingold, Danny J., Nesting phenology and competition for nest sites among Red-headed and Red-bellied woodpeckers and European Starlings, 209–217
Ingold, James L., Jack C. Vaughn, Sheldon I. Guttman, and Linda R. Maxson, Phylogeny of the cranes (Aves: Gruidae) as deduced from DNA-DNA hybridization and albumin micro-complement fixation analyses, 595–602
Islands, colonization, 103–104, 255, 332–335
Israel, 418–420, 726–727
Italy, 411–416
Ito, Yosiaki, Jerram L. Brown, and Jiro Kikkawa (Eds.), Animal societies: theories and facts (rev.), 165–166

Jacana jacana, 1–6
Jacana, Wattled, 1–6
James, Douglas A., and Joseph C. Neal, Arkansas birds, their distribution and abundance (rev.), 529–530
James, Frances C., In memoriam: Robert James Newman, 464–465
James, Ross D., see Peck, George K., and ———
Japan, 292–300, 498–500
Jay, Florida Scrub, 742; Steller's, 451–452
Jehl, Joseph R., Jr., Biology of the Eared Grebe and Wilson's Phalarope in the nonbreeding season: a study of adaptations to saline lakes (rev.), 762–763; Nest-site tenacity and patterns of adult mortality in nesting California Gulls (*Larus californicus*), 102–106; and Bertram G. Murray Jr., Commentary: Response: Evolution of sexual size dimorphism, 155–157
Johnsgard, Paul A., North American owls (rev.), 350
Johnson, Ned K., review by, 347–349
Jones, B., see Duke, G. E., et al.
Jones, Elinor G., see Calder, William A., III, and ———
Jones, Ian L., see Gaston, Anthony J., and ———
Junco, Dark-eyed, 324–325, 451, 452
Junco hyemalis, 324–325, 451, 452

Kamada, Tsutomu, see Taoka, Miki, et al.
Kansas, 324–325
Karasov, W. H., see Levey, Douglas J., and ———; see Martínez del Rio, Carlos, et al.
Keith, Stuart, see Fry, C. Hilary, et al.
Kemp, Kenneth E., see Shuman, Theresa W., et al.
Keppleman, Tony, Hummingbirds (rev.), 530
Kestrel, American, 451, 452; Eurasian, 539–546, 549–557
Kikkawa, Jiro, and Derek J. Anderson (Eds), Community ecology: pattern and process (rev.), 168–170; see Ito, Yosiaki, et al.
King, Ben, review by, 527
King, James R., and L. Richard Mewaldt, In memoriam: Donald S. Farner, 710–713
King, Warren B., review by, 526–527
Kingbird, Western, 735, 736
Kinglet, Golden-crowned, 451–452
Kinkel, Linda K., Lasting effects of wing tags on Ring-billed Gulls, 619–624
Klaassen, Marcel, Claus Bech, Dirkjan Masman, and Guri Slagsvold, Growth and energetics of Arctic Tern chicks (*Sterna paradisaea*), 240–248
Klimstra, W. D., see Eilsworth, Darrell L., et al.
Knot, Red, 94–100, 326–330
Konstantinov, V. M., see Ilyichev, V. D., et al.
Korea, 471–473
Krajewski, Carey, Phylogenetic relationships among cranes (Gruiformes: Gruidae) based on DNA hybridization, 603–618
Krebs, J. R., see Lessells, C. M., and ———
Kress, Stephen W., see Podolsky, Richard H., and ———
Kroodsma, Donald E., review by, 529

Lanius excubitor, 418–420
Lanyon, Scott M., and Wesley E. Lanyon, The systematic position of the plantcutters, Phytotoma, 422–432
Lanyon, Wesley E., see Lanyon, Scott M., and ———
Larson, Terry A., see Verner, Jared, and ———
Larus californicus, 102–105
L. delawarensis, 619–624
L. occidentalis, 496–497
Lauro, Brook, and Joanna Burger, Nest-site selection of American Oystercatchers (*Haematopus palliatus*) in salt marshes, 185–192
Leduc, Alain, see Robert, Michel, et al.
Lein, M. Ross, editor of book reviews, 165–174, 345–350, 525–531, 751–764; review by, 530; see Hill, Brad G., and ———
Lemel, Jonas, Body-mass dependent fledging order in the Great Tit, 49–492
Leptotila rufaxilla, 339–340
L. verreauxi, 339–340
L. wellsi, 339–340
Lessells, C. M., and J. R. Krebs, Age and breeding performance of European Bee-eaters, 375–382
Lever, Christopher, Naturalized birds of the world (rev.), 763–764
Levey, D. J., and William H. Karasov, Digestive responses of temperate birds switched to fruit or insect diets, 675–686; see Martínez del Rio, Carlos, et al.
Lewis, David B., see Briggs, Kenneth T., et al.
Ligon, J. David, Cynthia Carey, Sandra H. Ligon, and Greg H. Farley, Commentary: Response to Ward et al., 343–344; and Peter B. Stacey, On the significance of helping behavior in birds, 700–705
Ligon, Sandra H., see Ligon, J. David, et al.
Limnodromus griseus, 94–100
L. scolopaceus, 326–330
Limpkin, 603–609, 612, 616–618
Linder, Yosef, see Ward, David, et al.

Lindstrom, Åke, Finch flock size and risk of hawk predation at a migratory stopover site, 225–232
Lipaugus subalaris, 426, 428
Livezey, Bradley C., review by, 763
Lohrer, Fred E., John L. Trapp, David A. Wiedenfeld, Hugh A. Ford, and Innes C. Cuthill, editors of *Recent Ornithological Literature*, 1A–35A, 1B–69B, 1C–30C, 1D–44D
Longevity (see Mortality and survival)
Longspur, Lapland, 738–741
Louisiana, 326–330
Loxia leucoptera, 483–485
Lundberg, Arne, see Hoglund, Jacob, and ———
Luscinia megarhynchos, 501–502
Lyon, Bruce E., and Michael P. L. Fogden, Breeding biology of the Sunbittern (*Eurypyga helias*) in Costa Rica, 503–507

Macronectes giganteus, 303–312
Magpie, Black-billed, 635–643
Maine, 80–84, 332–335, 483–485, 687–697
Manakin, Golden-headed, 34–39; Red-headed, 34–39; Round-tailed, 34–39
Manitoba, 26–32, 42–47, 177–184, 269–276, 358–365, 483–485, 577–582
Mannan, R. William, see Dawson, James W., and ———
Marks, Jeffrey S., John H. Doremus, and Richard J. Cannings, Polygyny in the Northern Saw-whet Owl, 732–734
Martínez del Rio, Carlos, W. H. Karasov, and D. J. Levey, Physiological basis and ecological consequences of sugar preferences in Cedar Waxwings, 64–71
Marvil, Rebecca E., and Alexander Cruz, Impact of Brown-headed Cowbird parasitism on the reproductive success of the Solitary Vireo, 476–480
Masman, Dirkjan, see Klaassen, Marcel, et al.; see Meijer, Theo, et al.
Mass and measurements of *Aegolius acadicus*, 732, 733; *Agelaius phoeniceus*, 364; *Arenaria interpres*, 475; *Branta canadensis moffitti*, 442; *Calidris alba*, 475; *C. pusilla*, 475; *Cataptrophorus semipalmatus*, 475; Charadrii, 154; *Cinclocerthia gutturalis*, 250, 252; *C. ruficauda*, 250, 252; *Dendroica petechia*, 364; *D. striata*, 11–12, 13; *Dolichonyx oryzivorus*, 588; *Empidonax minimus*, 271, 273; *Eudocimus albus*, 141, 142; *Falco tinnunculus*, 553, 554, 555; *Geospiza difficilis*, 145–146; *G. fuliginosa*, 145–146; *Larus californicus*, 103; *Macronectes giganteus*, 304–305, 309; *Molothrus ater*, 360, 361, 478; *Numenius phaeopus*, 475; *Oceanodroma leucorhoa*, 689, 690, 693; *Oenanthe oenanthe*, 20, 21; *Parus major*, 491; *Passerculus sandwichensis*, 666–672; *Philomachus pugnax*, 337; *Pica pica*, 639; *Pluvialis squatarola*, 475; *Pygoscelis papua*, 304–305, 309; *Ramphocinclus brachyurus*, 250, 252; Scolopaci, 154; *Sitta europaea*, 563–564; *Sterna paradisaea*, 242, 243, 245, 246; *Sturnus vulgaris*, 676, 679; *Synthliboramphus antiquus*, 655, 656; *Turdus migratorius*, 676, 679; *Vireo solitarius*, 478
Massa, Bruno, see Randi, Ettore, et al.
Mating systems of *Aegolius acadicus*, 732–733; *Agelaius phoeniceus*, 107–115; *Chen caerulescens caerulescens*, 177–184; *Coturnix japonica*, 283; *Egretta garzetta*, 292, 294–295, 297–300; *Jacana jacana*, 1–6; *Lanius excubitor*, 418–420; *Merops apiaster*, 375–381; *Mimus polyglottos*, 664; *Philomachus pugnax*, 336–338; *Pica pica*, 635–643
Matthysen, Erik, Territorial and nonterritorial settling in juvenile Eurasian Nuthatches (*Sitta europaea* L.) in summer, 560–567
Maxson, Linda R., see Ingold, James L., et al.
Mayfield, Harold R., In memoriam: Frank W. Preston, 714–717
Mayr, Ernst, Commentary: A new classification of the living birds of the world, 508–512; Toward a new philosophy of biology: observations of an evolutionist (rev.), 751–752
McGuire, Terry T., see Romagnano, Linda, et al.
McIntyre, Roy F., see Cheng, Kimberly M., et al.
McLaughlin, Robert L., and Robert D. Montgomerie, Early nest departure does not improve the survival of Lapland Longspur chicks, 738–741
McNeil, Raymond, see Robert, Michel, et al.
Means, Barbara, and Richard Means, Biographies for birdwatchers (rev.), 754–756
Means, Richard, see Means, Barbara, and ———
Measurements (see Mass and ———)
Meijer, Theo, Dirkjan Masman, and Serge Daan, Energetics of reproduction in female kestrels, 549–559
Melanerpes carolinus, 209–216
M. erythrocephalus, 209–216
Melospiza melodia, 485–487
Memorials of Oliver L. Austin Jr., 706–709; James Bond, 718–720; Donald J. Borror, 321–323; Betty Carnes, 140; Donald S. Farner, 710–713; Klaus Immelmann, 723; Robert James Newman, 464–465; Frank W. Preston, 714–717; Ralph W. Schreiber, 137–140; Frank B. Smithe, 466; Nikolaas Tinbergen, 722; Yoshimaro Yamashina, 721
Meng, Heinz, review by, 349–350
Mengel, Robert M., review by, 167–168
Merlin, 225, 227–230
Merops apiaster, 375–381
Metabolism of *Oenanthe oenanthe*, 18–24; *Phoeniculus purpureus*, 342, 343
Mewaldt, L. Richard, see King, James R., and ———
Mexico, 124–128, 402–409
Michigan, 619–624, 730–731
Micrastur ruficollis, 407, 408
Migration and orientation, 8–15, 143, 228, 231, 233–237, 488–489, 501–502, 623
Migration and orientation of *Acrocephalus scirpaceus*, 501–502; *Dendroica striata*, 8–15; *Ficedula hypoleuca*, 501–502; *Fringilla coelebs*, 228–231; *F. montifringilla*,

228, 231; *Larus delawarensis*, 623; *Luscinia megarhynchos*, 501–502; *Muscicapa striata*, 501–502; *Phylloscopus trochilus*, 501–502; *Selasphorus rufus*, 488–489; *Sylvia borin*, 501–502; *S. communis*, 501–502; trans-Saharan passerines, 233–237
Millam, J. R., see Yamamoto, J. T., et al.
Mimus polyglottos, 659–664
Mindell, David P., and Rodney L. Honeycutt, Variability in transcribed regions of rDNA and early divergences in birds, 539–548
Mississippi, 209–216
Mockingbird, Northern, 659–664
Molothrus ater, 358–365, 452, 476–479, 577–582, 734–737
Molts and plumages of *Picoides pubescens*, 314–319; *Pipra chloromeros*, 34–39; *P. erythrocephala*, 34–39; *P. rubrocapilla*, 34–39
Monasterio, Maximina, see Vuilleumier, François, and ———
Monroe, Burt L., Jr., Commentary: Response to E. Mayr, 515–516; review by, 529–530; Anne L. Stamm, and Brainard L. Palmer-Bell Jr., Annotated checklist of the birds of Kentucky (rev.), 530
Montana, 488–489
Montevecchi, William A., and Leslie M. Tuck, Newfoundland birds: exploitation, study, conservation (rev.), 166–167
Montgomerie, Robert D., see McLaughlin, Robert L., and ———
Monticola cinclorhynchus, 728–729
Moreno, Juan, Variation in daily energy expenditure in nesting Northern Wheatears (*Oenanthe oenanthe*), 18–25
Mortality and survival of *Calcarius lapponicus*, 738–741; *Dolichonyx oryzivorus*, 591–592; *Empidonax minimus*, 272–273, 274, 276; *Egretta garzetta*, 292, 296–297; *Fringilla coelebs*, 225, 228–229, 231; *F. montifringilla*, 225, 228–229, 231; *Hylocichla mustelina*, 402, 405, 408, 409; *Jacana jacana*, 1–6; *Larus californicus*, 102–105; *L. delawarensis*, 623; *Molothrus ater*, 360, 361–362; *Picoides borealis*, 517; *Ptychoramphus aleuticus*, 496–497; *Sitta europaea*, 565–566; *Sterna dougallii*, 367–372; *Sturnus vulgaris*, 131; *Vireo solitarius*, 477, 478
Morus bassanus, 383–388
M. capensis, 383–388
M. serrator, 383–388
Mueller, Helmut C., Commentary: Aerial agility and the evolution of reversed sexual dimorphism (RSD) in shorebirds, 154–155
Murphy, Andrew J., and David A. Boag, Body reserve and food use by incubating Canada Geese, 439–446
Murray, Bertram G., Jr., A critical review of the transoceanic migration of the Blackpoll Warbler, 8–17; see Jehl, Joseph R., Jr., and ———
Murre, Thick-billed, 433–437
Murrelet, Ancient, 433–437, 653–658
Muscicapa striata, 501–502
Myadestes townsendi, 452
Mycteria americana, 539–546
Myers, J. P., see Castro, Gonzalo, and ———

Neal, Joseph C., see James, Douglas A., and ———
Nebraska, 118–123
Nelson, Douglas A., Gull predation on Cassin's Auklet varies with the lunar cycle, 495–497
Nest and nest site of *Bucephala albeola*, 569–571, 573–574; *Cepphus columba*, 193–201; *Empidonax minimus*, 270, 276; *Eurypygo helias*, 503; *Haematopus palliatus*, 185–191; *Larus californicus*, 102, 103, 104; *Melanerpes carolinus*, 209–216; *M. erythrocephalus*, 209–216; *Oceanodroma leucorhoa*, 332–335; *Phalacrocorax penicillatus*, 391–393; *Sturnus vulgaris*, 209–216; *Upupa epops*, 726–727; *Vireo solitarius*, 477
Nest parasitism, 128–134, 358–365, 476–479, 734–737
Nestling of *Eurypyga helias*, 504–505; *Oenanthe oenanthe*, 22; *Parus major*, 490–491; *Sterna paradisaea*, 240–247; *Sturnus vulgaris*, 133; *Vireo solitarius*, 477–478
Netherlands, 549–557
Nettleship, David N., review by, 525–526
New Brunswick, 148–150, 483–485
New Jersey, 185–191
New York, 185–191, 584–592
Nichols, Cathleen, R., see Cheng, Kimberly M., et al.
Nichols, James D., see Spendelow, Jeffrey A., and ———
Nighthawk, Common, 451, 452, 539–546
Night-Heron, Black-crowned, 94–100, 629; Yellow-crowned, 94–100
Nightingale, European, 501–502
Nomenclature, 38, 341, 613, 743–745, 750
North Carolina, 185–191, 326–330, 747–749
Northwest Territories, 433–437, 738–741
Norway, 240–247
Nuechterlein, Gary L., and Deborah P. Buitron, Diving differences between Western and Clark's grebes, 467–470
Numenius phaeopus, 94–100, 474–476
Nuthatch, Eurasian, 560–566; Red-breasted, 452
Nycticorax nycticorax, 94–100, 629
N. violaceus, 94–100
Nymphicus hollandicus, 86–91

Oceanodroma leucorhoa, 80–84, 148–150, 332–335, 498–500, 687–697
O. monorhis, 471–473
O'Connor, Raymond J., review by, 758–760
Oenanthe oenanthe, 18–24
Ohio, 314–319
Okumura, Hiroshi, see Taoka, Miki, et al.
Ontario, 483–485
Opornis tolmiei, 451, 452, 456
Oregon, 467–470
Oreortyx pictus, 452
Orians, Gordon H., see Beletsky, Les D., et al.
Oriole, Northern, 735–737

Osteology of *Ampelion rubrocristata*, 426–431; *A. rufaxilla*, 426–431; *A. sclateri*, 426–431; *A. stresemanni*, 426–431; Pelecaniformes, 383–388; *Phytotoma raimondii*, 426–431; *P. rara*, 426–431; *P. rutila*, 426–431; *Pipreola intermedia*, 426–429
Ouellet, Henri, review by, 166–167
Owen, Myrfyn, G. L. Atkinson-Willes, and D. G. Salmon, Wildfowl in Great Britain (rev.), 758–760
Owl, Northern Saw-whet, 732–733; Spotted, 451, 452
Oxyura jamaicensis, 42–47
Oystercatcher, American, 185–191

Palmer-Bell, Brainard L., Jr., see Monroe, Burt L., Jr., et al.
Panama, 1–6
Papasula abbotti, 383–388
Parabuteo unicinctus, 480–482
Parasites (see Diseases and ———)
Parasitism (see Nest parasitism)
Parentage studies, 128–134, 177–184
Parkes, Kenneth C., In memoriam: James Bond, 718–720
Parus atricapillus, 259–266, 268, 645–650, 652
P. dichrous, 728–729
P. gambeli, 259–266, 268, 451, 452, 459, 645–650, 652
P. major, 490–491
P. melanolophus, 728–729
P. monticolus, 728–729
P. rubidiventris, 728–729
Passer domesticus, 150–153, 539–546, 730–731
Passerculus sandwichensis, 666–672
Passerella iliaca, 451, 452, 456
P. i. schistacea, 157–159, 160–163
Passerina cyanea, 747–749
Peck, George K., and Ross D. James, Breeding birds of Ontario: nidiology and distribution. Vol. 2, Passerines (rev.), 166
Pelecanus erythrorhynchos, 26–32, 383–388
P. occidentalis, 383–388
P. onocrotalus, 383–388
P. philippensis, 383–388
P. rufescens, 383–388
Pelican, White, 26–32
Pelecaniformes, 383–388
Penguin, Gentoo, 303–312
Pennsylvania, 150–153
Pennycuick, C. J., and Toni de Santo, Flight speeds and energy requirements for White Ibises on foraging flights, 141–144
Peru, 34–39
Phaethon aethereus, 383–388
P. lepturus, 383–388
P. rubricauda, 383–388
Phalacrocorax africanus, 383–388
P. atriceps, 383–388
P. auritus, 383–388
P. bougainvillii, 383–388
P. capensis, 383–388
P. carbo, 383–388
P. coronatus, 383–388
P. gaimardi, 383–388
P. harrisi, 383–388
P. magellanicus, 383–388
P. melanoleucos, 383–388
P. neglectus, 383–388
P. olivaceus, 383–388
P. pelagicus, 383–388
P. penicillatus, 383–388, 389–400
P. pygmeus, 383–388
P. sulcirostris, 383–388
P. urile, 383–388
P. varius, 383–388
Phalarope, Red, 326–330; Red-necked, 326–330; Wilson's 326–330
Phalaropus fulicaris, 326–330
P. lobatus, 326–330
P. tricolor, 326–330
Pheucticus melanocephalus, 452
Philomachus pugnax, 336–338
Phoenicircus nigricollis, 426, 428
Phoenicopterus ruber, 94–100
Phoeniculus purpureus, 342, 343–344
Phoenicurus frontalis, 728–729
Phylloscopus trochilus, 501–502
Phylogeny (see Taxonomy)
Physiology, digestion (see Physiology, metabolism)
Physiology, egg laying, 549, 552–557, 653–658, 730–731; energy cost of activities, 18–24, 141–143, 243–246, 439–445, 474–476, 549, 552–553, 555–557; flight, 141–143, 154, 474–476; growth, 22, 242, 243, 245–246, 314–319; hormones, 107–115, 485–487; incubation, 439–445, 653–658; metabolism, 18–24, 64–70, 80–84, 203–207, 243–244, 245, 303–312, 324–325, 342, 343, 353–356, 549, 552, 555–557, 675–684, 687–697; migration, 143; molt, 314–319; nutrient reserves, 314–319, 439–445, 549, 554–556, 557, 657; Nutritional status (see Physiology, nutrient reserves); reproduction, 279–383, 286–289; temperature regulation, 242–243, 244–246, 342, 343–344
Physiology of *Agelaius phoeniceus*, 107–115; *Amazilia saucerottei*, 203–207; *Arenaria interpres*, 474–476; *Bombycilla cedrorum*, 64–70; *Branta canadensis moffitti*, 439–445; *Calidris alba*, 474–476; *C. pusilla*, 474–476; *Cardinalis cardinalis*, 324–325; *Catoptrophorus semipalmatus*, 474–476; *Chlorostilbon canivetii*, 203–207; *Circus cyaneus*, 353–356; *Coturnix japonica*, 279–283, 286–289; *Eudocimus albus*, 141–143; *Falco tinnunculus*, 549, 552–557; *Junco hyemalis*, 324–325; *Macronectes giganteus*, 303–312; *Melospiza melodia*, 485–487; *Numenius phaeopus*, 474–476; *Oceanodroma leucorhoa*, 80–84, 687–697; *Oenanthe oenanthe*, 18–24; *Passer domesticus*, 730–731; *Phoeniculus purpureus*, 342, 343–344; *Picoides pubescens*, 314–319; *Pluvialis squatarola*, 474–476; *Pygoscelis papua*, 303–312; *Selasphorus rufus*, 724–725; *Spizella arborea*, 324–325; *Sterna paradisaea*, 240–247; *Sturnus vulgaris*, 675–684; *Synthliboramphus antiquus*, 653–658; *Tur-*

dus migratorius, 675–684; *Zonotrichia querula*, 324–325
Phytotoma raimondii, 422–431
P. rara, 422–431
P. rutila, 422–431
Pica pica, 635–643
Picman, Jaroslav, Mechanism of increased puncture resistance of eggs of Brown-headed Cowbirds, 577–583
Picoides albolarvatus, 451, 452, 459
P. borealis, 517–518, 518–519
P. pubescens, 314–319
P. villosus, 451, 452, 459
Pierson, Elizabeth Cary, Charles E. Huntington, and Nathaniel Wheelwright, Homing experiment with Leach's Storm-Petrels, 148–150
Pigeon, Band-tailed, 452
Pigmentation of *Aphelocoma ultramarina*, 124–128; *Cinclocerthia gutturalis*, 251, 253, 255; *C. ruficauda*, 251, 254, 255; *Egretta garzetta*, 292, 293, 294, 298; *Leptotila rufaxilla*, 340; *L. verreauxi*, 340; *L. wellsi*, 340; *Philomachus pugnax*, 336–338; *Pipra chloromeros*, 34–39; *P. erythrocephala*, 34–39
Pinicola enucleator, 452
Pinshow, Berry, see Ward, David, et al.; see Yosef, Reuven, and ———
Pipilo chlorurus, 451, 452, 456
P. erythrophthalmus, 451, 452, 456
Pipra chloromeros, 34–39
P. erythrocephala, 34–39
P. rubrocapilla, 34–39
Pipreola intermedia, 426, 429
Pirango ludoviciana, 451–452
Place, Allen R., Nina C. Stoyan, Robert E. Ricklefs, and Ronald G. Butler, Physiological basis of stomach oil formation in Leach's Storm-Petrel (*Oceanodroma leucorhoa*), 687–699; see Duke, G. E., et al.; see Roby, Daniel D., et al.
Plover, Black-bellied, 94–100; Semipalmated, 94–100; Wilson's, 94–100
Plumages (see Molts and ———)
Pluvialis squatarola, 94–100, 474–476
Podolsky, Richard H., and Stephen W. Kress, Factors affecting colony formation in Leach's Storm-Petrel, 332–336
Poephila guttata, 750
Poland, 730–731
Polyandry (see Mating systems)
Polygyny (see Mating systems)
Pomatorhinus erythrogenys, 728–729
Pomatostomidae, 341
Pomatostominae, 341
Portugal, 411–416
Potter, Eloise F., Commentary: Response to P. R. Ehrlich, D. S. Dobkin, and D. Wheye, 163–164
Powell, David W., see Gaston, Anthony J., and ———
Power, Harry W., see Romagnano, Linda, et al.
Predation by *Accipiter gentilis*, 225–231; *A. nisus*, 225–231; *Buteo buteo*, 225–231; *Circus cyaneus*, 225–231; *Corvus caurinus*, 197–198; *Falco columbarius*, 225–231; *Glaucidium brasilianum*, 406, 407, 408; *Larus occidentalis*, 496–497; *Micrastur ruficollis*, 407, 408
Predation on *Aphelocoma ultramarina*, 126–127; *Calcarius lapponicus*, 739; *Casmerodius albus*, 628; *Cepphus columba*, 193, 196–198, 200–201; *Egretta caerulea*, 628; *Empidonax minimus*, 269, 270, 275; *Eudocimus albus*, 628; *Fringilla coelebs*, 225–231; *F. montifringilla*, 225–231; *Haematopus palliatus*, 188–189; *Hylocichla mustelina*, 406, 407, 408, 409; *Larus californicus*, 102, 103, 104; *Molothrus ater*, 361–362; *Parus major*, 490, 491, *Pica pica*, 639; *Ptychoramphus aleuticus*, 495–497
Ptiliogonys cinereus, 743–745
Ptychoramphus aleuticus, 495–497
Pulich, Warren M., The birds of north central Texas (rev.), 530–531
Pygmy-Owl, Ferruginous, 406, 407, 408
Pygoscelis papua, 303–312
Pyrrhula erythrocephala, 728–729

Quail, Japanese, 279–283, 286–289; Mountain, 452
Quebec, 483–485
Quinn, Thomas W., J. Chris Davies, Fred Cooke, and Bradley N. White, Genetic analysis of offspring of a female-female pair in the Lesser Snow Goose (*Chen c. caerulescens*), 177–184

Ramos, Mario A., see Rappole, John H., et al.
Ramphocinclus brachyurus, 249–256, 258
Rand, Michael R. W., see Hudson, Peter J., and ———
Randi, Ettore, Fernando Spina, and Bruno Massa, Genetic variability in Cory's Shearwater (*Calonectris diomedea*), 411–417
Rappole, John H., Mario A. Ramos, and Kevin Winker, Wintering Wood Thrush movements and mortality in southern Veracruz, 402–410
Rassi, P., and R. Vaisanen (Eds.), Threatened animals and plants in Finland (rev.), 173
Raven, Common, 452
Reed, J. Michael, see Hagen, John M., and ———
Reed-Warbler, European, 501–502
Regulus satrapa, 451–452
Remsen, J. V., review by, 527–529
Reynard, George B., and Orlando H. Garrido, Bird songs in Cuba/Cantos de Aves en Cuba (rev.), 529
Rickard, William H., see Eberhardt, Lester E., et al.
Ricklefs, Robert E., see Place, Allen R., et al.
Ripley, S. Dillon, In memoriam: Yoshimoro Yamashina, 721
Rising, James D., and Keith M. Somers, The measurement of overall body size in birds, 666–675
Rising, R. M., Commentary: Response to R. M. Zink, 160–163
Robel, Robert J., see Shuman, Theresa W., et al.
Robert, Michel, Raymond McNeil, and Alain Leduc,

Conditions and significance of night feeding in shorebirds and other water birds in a tropical lagoon, 94–101
Robertson, Peter, see Hill, David, and ———
Robin, American, 452, 675–684, 735, 736
Roby, Daniel D., Karen L. Brink, and Allen R. Place, Relative passage rates of lipid and aqueous digesta in the formation of stomach oils, 303–313
Rohwer, Sievert, Carol D. Spaw, and Eivin Røskaft, Costs to Northern Orioles of puncture-ejecting parasitic cowbird eggs from their nests, 734–738
Romagnano, Linda, Terry R. McGuire, and Harry W. Power, Pitfalls and improved techniques in avian parentage studies, 129–136
Roseberry, John L., see Ellsworth, Darrell L., et al.
Røskaft, Eivian, see Rohwer, Sievert, et al.
Rotenberry, John T., review by, 168–170
Roudybush, T. E., see Yamamoto, J. T., et al.
Round, Philip D., Resident forest birds in Thailand: their status and conservation (rev.), 761
Ruff, 336–338
Rusch, Donald H., see Small, Robert J., and ———

Salmon, D. G., see Owen, Myrfyn, et al.
Sanderling, 326–330
Sandpiper, Least, 94–100; Semipalmated, 94–100; Stilt, 94–100, 326–330; Western, 94–100
Sapsucker, Red-breasted, 452; Williamson's, 452
Sato, Tetsu, see Taoka, Miki, et al.
Saxicola ferrea, 728–729
Scolopaci, 154–155, 155–156
Sealy, Spencer G., see Briskie, James V., and ———
Seicercus xanthoschistos, 728–729
Selasphorus rufus, 488–489, 724–725
Sellers, Timothy J. (Ed.), Bird respiration (rev.), 345
Sex, determination of, 250, 498, 522, 523–524, 654
Sex ratio of *Aquila chrysaetos*, 520–521, 521–522, 523–524; *Molothrus ater*, 360, 365; *Passer domesticus*, 151–152; *Picoides borealis*, 517
Sexual size dimorphism, 154–155, 155–156, 249, 250–255, 360, 365
Shearwater, Cory's, 411–416, 417
Sherrod, Steve K., review by, 347
Shields, K. M., see Yamamoto, Y. T., et al.
Shrike, Northern, 418–420
Shuman, Theresa W., Robert J. Robel, John L. Zimmerman, and Kenneth E. Kemp, Variance in digestive efficiencies of four sympatric avian granivores, 324–326
Short, L. L., review by, 173–174
Sialia currucoides, 451, 452, 459
S. mexicana, 452
Sibley, Charles G., Commentary: Response to E. Mayr, 512–515
Siegel-Causey, Douglas, review by, 174
Sitta canadensis, 452
S. europaea, 560–566
S. leucopsis, 728–729
Slagsvold, Guri, see Klaassen, Marcel, et al.
Small, Robert J., and Donald H. Rusch, The natal dispersal of Ruffed Grouse, 72–79
Solitaire, Townsend's, 452
Somers, Keith M., see Rising, James D., and ———
Song (see Vocalizations)
Sonograms of *Dendroica graciae*, 50, 51, 54; *Leptotila rufaxilla*, 339; *L. verreauxi*, 339; *L. wellsi*, 339; *Oceanodroma leucorhoa*, 499; *O. monorhis*, 472
South Carolina, 141–143
Spain, 501–502
Spaw, Carol D., see Rohwer, Sievert, et al.
Sparrow, American Tree, 118–123, 324–325; Chipping, 452; Fox, 157–159, 160–163, 451, 452, 456; Harris', 324–325; House, 150–153, 539–546, 598, 730–731; Savannah, 666–672; Song, 485–487
Sparrowhawk, European, 225–231
Spendelow, Jeffrey A., and James D. Nichols, Annual survival rates of breeding adult Roseate Terns, 367–374
Sphyrapicus ruber, 452
S. thyroideus, 452
Spina, Fernando, see Randi, Ettore, et al.
Spizella arborea, 118–123, 324–325
S. passerina, 452
Stacey, Peter B., see Ligon, J. David, and ———
Staicer, Cynthia A., Characteristics, use, and significance of two singing behaviors in Grace's Warbler (*Dendroica graciae*), 49–63
Stamm, Anne L., see Monroe, Burt L., Jr., et al.
Starling, European, 129–134, 209–216, 675–684
Statistical and analytical methods, 666–672
Stellula calliope, 452
Sterna dougallii, 367–372
S. paradisaea, 240–247
Stilt, Black-necked, 94–100
Stokes, Allen W., review by, 757–758
Stokes, Donald W., and Lillian Q. Stokes, A guide to bird behavior, vol. 3 (rev.), 761–762
Stokes, Lillian Q., see Stokes, Donald W., and ———
Storer, Robert W., Geographic variation and sexual dimorphism in the tremblers (*Cinclocerthia*) and White-breasted Thrasher (*Ramphocinclus*), 249–258
Stork, Wood, 539–546
Storm-Petrel, Leach's, 80–84, 148–150, 332–335, 498–500, 687–697; Swinhoe's, 471–473
Stoyan, Nina C., see Place, Allen R., et al.
Strix occidentalis, 451, 452
Sturnus vulgaris, 129–134, 209–216, 675–684
Sula dactylatra, 383–388
S. leucogaster, 383–388
S. nebouxii, 383–388
S. sula, 383–388
S. variegata, 383–388
Sunbittern, 503–507
Swan, Trumpeter, 539–546
Sweden, 18–24, 336–338, 490–491
Sylvia borin, 501–502
S. communis, 501–502

Synthliboramphus antiquus, 433–437, 653–658
Systematics (see Taxonomy)

Taeniopygia guttata, 750
Taigen, Theodore L., review by, 345
Tanager, Western, 451–452
Taoka, Miki, Tetsu Sato, Tsutomu Kamada, and Hiroshi Okumura, Sexual dimorphism of chatter-calls and vocal sex recognition in Leach's Storm-Petrels (*Oceanodroma leucorhoa*), 498–501; Pyong-Oh Won, and Hiroshi Okumura, Vocal behavior of Swinhoe's Storm-Petrel (*Oceanodroma monorhis*), 471–474
Taxonomy, 508–512, 512–515, 515–516, 539–546, 595–601
Taxonomy of *Ampelion rubrocristata*, 422, 426, 429–431; *A. rufaxilla*, 422, 426, 429–431; *A. sclateri*, 422, 426, 429–431; *A. stresemanni*, 422, 426, 429–431; *Bubo bubo*, 539–546; *Buteo buteo*, 539–546; *Calidris alba*, 330; *C. canutus*, 330; *C. himantopus*, 330; *Cathartes melambrotus*, 539–546; *Chordeiles minor*, 539–546; *Cinclocerthia gutturalis*, 249, 255–256; *C. ruficauda*, 249, 255–256; *Crypturellus undulatus*, 539–546; *Cygnus buccinator*, 539–546; *Falco tinnunculus*, 539–546; *Gallus gallus*, 539–546; *Geospiza difficilis*, 144–147; Gruidae, 595–601, 603–613; *Leptotila rufaxilla*, 339–340; *L. verreauxi*, 339–340; *L. wellsi*, 339–340; *Limnodromus scolopaceus*, 330; *Mycteria americana*, 539–546; *Passer domesticus*, 539–549; Pelecaniformes, 384–387; *Phalaropus fulicaris*, 326, 329–330; *P. lobatus*, 326, 329–330; *P. tricolor*, 326, 329–330; *Phytotoma raimondii*, 422–426, 429–431; *P. rara*, 422, 426, 429–431; *P. rutila*, 422, 426, 429–431; *Pipra erythrocephala*, 39; *Ramphocinclus brachyurus*, 249, 256; *Tringa melanoleuca*, 330
Temeles, Ethan J., Effect of prey consumption on foraging activity of Northern Harriers, 353–357
Tern, Arctic, 240–247; Roseate, 367–372
Territory of *Jacana jacana*, 3; *Parus atricapillus*, 259–266; *P. gambeli*, 259–266
Thrasher, White-breasted, 249–256, 258
Thrush, Hermit, 452; Swainson's, 451, 452; Wood, 402–409
Tiebout, Harry M. III, Tests of a model of food passage rates in hummingbirds, 203–208
Tinamou, Undulated, 539–546
Tit, Great, 490–491
Tome, Michael W., Search-path characteristics of foraging Ruddy Ducks, 42–48
Towhee, Green-tailed, 451, 452, 456; Rufous-sided, 451, 452, 456
Trapp, John L., see Lohrer, Fred E., et al.
Trembler, Brown, 249–256, 258; Gray, 249–256, 258
Tringa flavipes, 94–100
T. melanoleuca, 94–100, 326–330
Troglodytes troglodytes, 451, 452
Tuck, Leslie M., see Montevecchi, William A., and ———
Turdus boulboul, 728–729
T. migratorius, 452, 675–684, 735, 736
T. viscivorus, 728–729
Tyler, W. Breck, see Briggs, Kenneth T., et al.
Tyrannus verticalis, 735, 736

Udvardy, M. D. F., and M. E. Udvardy, review by, 173
Udvardy, M. E., see Udvardy, M. D. F., and ———
Upupa epops, 726–727
Urban, Emil K., see Fry, C. Hilary, et al.
Uria lomvia, 433–437

Vagvolgyi, Joseph, and Maria W. Vagvolgyi, The taxonomic status of the Small Ground-Finch, *Geospiza* (Aves: Emberizidae) of Genovesa Island, Galápagos, and its relevance to interspecific competition, 144–148
Vagvolgyi, Maria W., see Vagvolgyi, Joseph, and ———
van Marle, J. G., and Karel H. Voous, The birds of Sumatra: annotated check-list (rev.), 527
Vaughn, Jack C., see Ingold, James L., et al.
Venezuela, 94–100
Verbeek, N. A. M., see Emms, S. K., and ———
Vermivora ruficapilla, 452
Vermont, 483–485
Verner, Jared, and Terry A. Larson, Richness of breeding bird species in mixed-conifer forests of the Sierra Nevada, California, 447–463
Vireo gilvus, 451–452
V. solitarius, 452, 476–479
Vireo, Solitary, 452, 476–479; Warbling, 451–452
Vocalizations, 49–62, 124–128, 255–256, 332–335, 339–340, 471–473, 498–500, 659, 662, 663–664; geographic variations in, 124–128; variety of, 49–62, 471–473, 498–500
Vocalizations of *Aphelocoma ultramarina*, 124–128; *Cinclocerthia gutturalis*, 255–256, *C. ruficauda*, 255–256; *Dendroica graciae*, 49–62; *Fringilla coelebs*, 227; *F. montifringilla*, 227; *Leptotila rufaxilla*, 339–340; *L. verreauxi*, 339–340; *L. wellsi*, 339–340; *Mimus polyglottos*, 659, 662, 663–664; *Oceanodroma leucorhoa*, 332–335, 498–500; *O. monorhis*, 471–473
von Michaëlis, H., Birds of prey: a kinship (rev.), 174
Voous, Karel H., see van Marle, J. G., and ———
Vuilleumier, François, and Maximina Monasterio (Eds.), High altitude tropical biogeography (rev.), 527–529; review by, 346
Vulture, Greater Yellow-headed, 539–546

Warbler, Blackpoll, 8–15, 17; European Willow, 501–502; Garden, 501–502; Grace's, 42–62; Hermit, 451–452; MacGillivray's, 451, 452, 456; Nashville, 452; Wilson's, 452; Yellow, 358–365, 451, 452, 456; Yellow-rumped, 451–452
Ward, David, Berry Pinshow, Daniel Afik, Yosef Linder, and Nurit Winkler, Commentary: Cavity roosting, philopatry, and cooperative breeding in the Green Woodhoopoe may not reflect a physiological trait, 342; see Afik, Daniel, and ———

Warheit, Kenneth I., David A. Good, and Kevin de Queiroz, Variation in numbers of scleral ossicles and their phylogenetic transformations within the Pelecaniformes, 383–388
Washington, 107–115, 218–224, 734–737
Waxwing, Cedar, 64–70
Weather, influence on (see Environment, influence on)
Weatherhead, Patrick J., Sex ratios, host-specific reproductive success, and impact of Brown-headed Cowbirds, 358–366
Welsh, Daniel A., review by, 166
West Indies, 249–256
Westneat, David F., Intensity of nest defense in Indigo Buntings increases with stage and not number of visits, 747–749
Wheatear, Northern, 18–24
Wheelwright, Nathaniel T., see Pierson, Elizabeth Cary, et al.
Whimbrel, 94–100
White, Bradley N., see Quinn, Thomas W., et al.
Whitethroat, Greater, 501–502
Wiedenfeld, David A., see Lohrer, Fred E., et al.
Willet, 94–100
Wilsonia pusilla, 452
Wingfield, John C., see Beletsky, Les D., et al.
Winker, Kevin, see Rappole, John H., et al.
Winkler, Nurit, see Ward, David, et al.
Wisconsin, 64–70, 72–77, 79, 675–684
Won, Pyong-Oh, see Taoka, Miki, et al.
Woodhoopoe, Green, 342, 343–344
Woodpecker, Downy, 314–319; Hairy, 451, 452, 459; Pileated, 452; Red-bellied, 209–216; Red-cockaded, 517–518, 518–519; Red-headed, 209–216; White-headed, 451, 452, 459
Woolfenden, Glen E., In memoriam: Ralph W. Schreiber, 137–139
Wren, Winter, 451, 452

Xanthocephalus xanthocephalus, 577–582
Xiphoena punicea, 426, 428

Yamamoto, J. T., K. M. Shields, J. R. Millam, T. E. Roudybush, and C. R. Grau, Reproductive activity of force-paired Cockatiels (*Nymphicus hollandicus*), 86–93
Yellowlegs, Greater, 94–100, 326–330; Lesser, 94, 100
Yellowthroat, Common, 599
Yosef, Reuven, and Berry Pinshow, Cache size in shrikes influences female mate choice and reproductive success, 418–421

Zaias, Julia, see Breitwisch, Randall, et al.
Zimmerman, Dale A., review by, 752–754
Zimmerman, John L., see Shuman, Theresa W., et al.
Zink, Robert M., Commentary: The study of geographic variation, 157–160; see Dittmann, Donna L., et al.
Zonotrichia querula, 324–325

DATE OF ISSUE (Vol. 106, No. 4): 31 October 1989